




Carriage Driving Patterns


Pattern 1- Classes 421 and 424



Cones are to be placed with an additional 24" than the track width of your wheels

1. Begin at 'A'
2. Proceed at the walk to cones 1 - 2
3. At cone 2 halt for 3 - 5 seconds
4. Continue at the walk to cones 3 - 6
5. After passing through cone 6 continue walking for approximately 30'
6. Proceed to center ring
7. Halt and stand
8. Wait for videographer


Pattern 4 - Classes 422, 423, 426 and 427



Cones are to be placed with an additional 24" than the track width of your wheels

1. Begin at 'A'
2. Proceed at the walk to cones 1 - 3
3. At cone 3 halt for 3 - 5 seconds
4. Continue to cones 4 - 5
5. Around cone 5 transition to a normal trot
6. After passing through cone 6 transition to the walk for approximately 30'
7. Proceed to center ring
8. Halt and stand
9. Wait for videographer


Pattern 5 – Class 429



Cones are to be placed with an additional 18" than the track width of your wheels.

1. Begin at 'A'
2. Proceed at the normal walk through cone 1
3. After passing cone 1 develop extended walk to cone 2.
4. After passing cone 2 transition to normal trot to cone 3
5. After cone 3 develop slow trot to cones 4 - 5
6. After cone 5 transition to the walk
7. At cone 6 Halt 3 - 5 seconds
8. Continue at the walk
9. Transition to extended trot to cone 7.
10. After passing through cone 7 transition to the walk
11. Continue to walk approximately 30'
12. Proceed to center ring
13. Halt and stand
14. Wait for videographer

Pattern 6 – Classes 425 and 428



Cones are to be placed with an additional 24" than the track width of your wheels

1. Begin at 'A'
2. Proceed at the normal walk to cones 1 - 3
3. After passing through cone 3 transition to extended walk cones 4 - 5
4. Around cone 5 transition to normal walk cones 6 - 7
5. Halt at cone 7 for 3 - 5 seconds
6. Continue at the walk approximately 40'
7. Proceed to center ring
8. Halt and stand
9. Wait for videographer